Author Index

ADLER W.H. *see* SAXENA Q.B.

ALI S.A., REES R.C. & OXFORD J. Modulation of human natural killer cytotoxicity by influenza virus and its subunit protein, 687

ALLANSMITH M.R. *see* SULLIVAN D.A.

AOTSUKA Y. *see* IDO M.

ASHERSON G.L. *see* COLIZZI V.

ASHERSON G.L. *see* ZEMBALA M.A.

AUSTEN K.F. *see* RAZIN E.

AUSTEN K.F. *see* RINGEL E.W.

BALDWIN R.W. *see* BRITTEN V.

BALLS M. *see* CLOTHIER R.H.

BALTZ M.L. *see* LAMONTAGNE L.R.

BASHIR H.V. *see* RAYMENT C.

BAZIN H. *see* PUSKÁS É.

BEFUS A.D. *see* LAMONTAGNE L.R.

BERGMEIER L.A. *see* CHALLACOMBE S.J.

BEW M. *see* TAYLOR G.

BINAGHI R.A. *see* RONCO J.R.

BLACKWELL J.M. *see* CROCKER P.R.

BLEASDALE K. *see* DEVEY M.E.

BLOCH K.J. *see* SULLIVAN D.A.

BOUREL D. *see* MARTIN A.

BRADLEY D.J. *see* CROCKER P.R.

BRADLEY D.J. *see* RODRIGUEZ-LOPEZ M.H.

BRADLEY N.J. *see* BRITTLE M.P.

BRENNAN F.M. *see* CARTER S.D.

BRITTEN V., ROBINS R.A. & BALDWIN R.W. *In vitro* activation of natural killer-like cytotoxicity by specifically *in vivo* primed T-helper lymphocytes in the rat, 31

BRITTLE M.P., BRADLEY N.J., GOMER K.J., PLAYFAIR J.H.L. & DAVIES A.J.S. The control of antibody diversity during IgM and IgG anti-sheep red cells responses in mice, 97

BROWNLIE J. *see* JEGGO M.H.

BUCANA C. *see* MORISON W.L.

BUKOVSKÝ A., PRESL J. & ŽIDOVSKÝ J. Association of some cell surface antigens of lymphoid cells and cell surface differentiation antigens with early rat pregnancy, 631

BULMER J.N. & SUNDERLAND C.A. Immunohistological characterization of lymphoid cell populations in the early human placental bed, 349

BUSCHER G. *see* MUSOKE A.J.

CAHILL R.N.P. *see* CHIN G.W.

CAMPBELL A.K. *see* MORGAN B.P.

CANTOR H. *see* RAZIN E.

CARROLL A.M. & DE SOUSA M. Differential effect of two monoclonal anti-Lyt-1 alloantibodies on lymphocyte distribution *in vivo*, 325

CARROLL A.M. & DE SOUSA M. Lyt phenotype, lymphocyte migration and the selective tissue positioning of mouse T cell sets, 331

CARTER S.D., BRENNAN F.M., GRACE S.A. & ELSON C.J. Clearance and organ localization of particles and soluble complexes in mice with circulating complexes, 761

CAULFIELD J.P. *see* RAZIN E.

CHALLACOMBE S.J., BERGMEIER L.A., CZERKINSKY C. & REES A.S. Natural antibodies in man to *Streptococcus mutans*: specificity and quantification, 143

CHAPPELL F. *see* SMITH G.

CHATURVEDI U.C. *see* MATHUR A.

CHEN W.Y. *see* SAGER S.

CHEVRINAIS A.-M. *see* MARTIN A.

CHIN G.W. & CAHILL R.N.P. The appearance of fluorescein-labelled lymphocytes in lymph following *in vitro* or *in vivo* labelling: the route of lymphocyte recirculation through mesenteric lymph nodes, 341

CINADER B. Chairman's Report to the WHO-IUIS Nomenclature Committee, Kyoto, 25 August 1983

CLABBY M. *see* RAZIN E.

CLARK F. *see* FAWCETT J.

CLOTHIER R.H., JAMES H.S., RUBEN L.N. & BALLS M. Lectins and substitution for helper function in anti-hapten responses in *Xenopus laevis*, 703

CLOTHIER R.H., RUBIN L.N., JAMES H.S. & BALLS M. TNP-Ficoll response in *Xenopus laevis*: substitution and reconstitution in thymectomized animals, 483

COHEN E.P. *see* SLOMSKI R.

COHEN M.G. & MUNRO A.J. Antigen-induced suppression in man: non-specific suppression mediated via $OKT8^+$ cells, 589

COHEN N. *see* ROLLINS-SMITH L.A.

COLES G.A. *see* DAVIES M.

GOLIZZI V., ASHERSON G.L., JAMES B.M.B. & MALKOVSKY M. T helper factor in contact sensitivity: antigen-specific $I\text{-}A^+$ helper factor is made by $Lyt\text{-}1^+2^-$, $I\text{-}A^+$, $I\text{-}J^-$ T cell, 261

COLIZZI V. *see* ZEMBALA M.A.

COLLINS A.P. *see* TAYLOR G.

COTE P.J. *see* TAYLOR G.

CRIPPS A.W. *see* SCICCHITANO R.

CRISPE I.N., GASCOIGNE N.R.J. & OWENS T. An allospecific murine T helper clone which can help both T and B cell responses *in vitro* and *in vivo*, 55

CROCKER P.R., BLACKWELL J.M. & BRADLEY D.J. Transfer of innate resistance and susceptibility to *Leishmania donovani* infection in mouse radiation bone marrow chimaeras, 417

CROCKER P.R. *see* RODRIGUEZ-LOPEZ M.H.

CURTIS J.L. & NORDIN A.A. Primary *in vitro* plaque-forming cell response to DAGG-Ficoll: LPS-induced enhancement mediated by interleukin-1, 711

CZERKINSKY C. *see* CHALLACOMBE S.J.

DAHA M.R. *see* DE HEER E.

DAUS H., HAMMER H.-J., RAJKI K. & MAUCH H. Influence of subclass-specific anti-idiotypic antibodies on the kinetics of the immune response to BCG, 697
DAVIES A.J.S. *see* BRITTLE M.P.
DAVIES M., COLES G.A. & HARBER M.J. Effect of glomerular basement membrane on the initiation of chemiluminescence and lysosomal enzyme release in human polymorphonuclear leucocytes: an *in vitro* model of glomerular disease, 151
DE HEER E., DAHA M.R. & VAN ES L.A. Lymph node cells from rats with Heymann's nephritis produce *in vitro* autoantibodies directed against purified renal tubular antigen, 743
DE SOUSA M. *see* CARROLL A.M.
DEVEY M.E., BLEASDALE K., STANLEY C. & STEWARD M.W. Failure of affinity maturation leads to increased susceptibility to immune complex glomerulonephritis, 377
DILLON S.B. & MACDONALD T.T. Functional properties of lymphocytes isolated from murine small intestinal epithelium, 501
DOHLMAN J.G., PAYAN D.G. & GOETZL E.J. Generation of a unique fibroblast-activating factor by human monocytes, 577
DUC DODON M., GAZZOLO L. & QUASH G.A. Cellular myeloperoxidase activity in human monocytes stimulated by hyposialylated immunoglobulins and rheumatoid factors, 291
DURRANT L.G., PARKAR M., KENWORTHY N. & TAYLOR G.M. Characterization of a human × mouse T cell hybridoma and identification of a clone secreting and binding interleukin-2, 117

EALES L-J., HALL N.D. & HUNNEYBALL I.M. Facb rosette-forming cells in mice: studies on their functional significance, 17
EDMONDS J.P. *see* RAYMENT C.
EGIDO J. *see* SANCHO J.
ELSON C.J. *see* CARTER S.D.
ENRIQUEZ-RINCON F. & KLAUS G.G.B. Differing effects of monoclonal anti-hapten antibodies on humoral responses to soluble or particulate antigens, 129
Enriquez-Rincon F. & Klaus G.G.B. Follicular trapping of hapten-erythrocyte–antibody complexes in mouse spleen, 107
ERICKSON K.L. *see* THOMAS I.K.
ESCANERO J.F. *see* SANCHO J.

FACER C.A. *see* MORTAZAVI-MILANI S.M.
FAUCHET R. *see* MARTIN A.
FAULK W.P. *see* HSI B.-L.
FAWCETT J., HUTTON C., MCLACHLAN S.M., CLARK F. & REES SMITH B. Defective regulation of the immune response to tetanus toxoid in Hashimoto's disease, 525
FERNIE B.F. *see* TAYLOR G.
FRIEDMAN S. *see* RAZIN E.
FUDENBERG H.H. *see* SAGER S.

GALLILY R., VRAY B., STAIN I. & SHARON N. Wheat germ agglutinin potentiates uptake of bacteria by murine peritoneal macrophages, 679
GASCOIGNE N.R.J. *see* CRISPE I.N.
GAULDIE J. *see* LAMONTAGNE L.R.
GAZZOLO L. *see* DUC DODON M.
GECZY A.F. *see* RAYMENT C.
GENETET B. *see* MARTIN A.
GERGELY J. *see* PUSKÁS É.
GOETZL E.J. *see* DOHLMAN J.G.
GOMER K.J. *see* BRITTLE M.P.
GONZALEZ E. *see* SANCHO J.
GORCZYNSKI R.M., KENNEDY M. & MACRAE S. Altered lymphocyte recognition repertoire during ageing. III. Changes in MHC restriction patterns in parental T lymphocytes and diminution in T suppressor function, 611
GORDON J., MELAMED M.D., LEY S.C. & HUGHES-JONES N.C. Anti-immunoglobulin inhibits DNA synthesis in Epstein–Barr virus-transformed lymphoblastoid cell lines, 79
GRACE S.A. *see* CARTER S.D.
GRAY D., KUMARARATNE D.S., LORTAN J., KHAN M. & MACLENNAN I.C.M. Relation of intra-splenic migration of marginal zone B cells to antigen localization on follicular dendritic cells, 659
GREEN J.R. Generation of cytotoxic T cells in the rat mixed lymphocyte reaction is blocked by monoclonal antibody MRC OX-8, 253
GRONDEL J.L. & HARMSEN E.G.M. Phylogeny of interleukins: growth factors produced by leucocytes of the cyprinid fish, *Cyprinus carpio* L., 477
GRUMET F.C. *see* VAN BOHEMEN CH.G.
GUENIN R. & SCHNEIDER C.H. Penicillin derivatives are true monovalent elicitors of anaphylactic reactions, 189

HAGNER G. Natural killing and growth inhibition of K562 cells by subpopulations of mononuclear cells as a function of target cell proliferation, 555
HALL J.G. *see* SPENCER J.
HALL N.D. *see* EALES L-J.
HAMMER H.-J. *see* DAUS H.
HARBER M.J. *see* DAVIES M.
HARMSEN E.G.M. *see* GRONDEL J.L.
HARRISON T.J. *see* RODRIGUEZ-LOPEZ M.H.
HAYASHI H. *see* MIURA K.
HAYASHI H. *see* YOSHIMURA T.
HEIN A. *see* RAZIN E.
HENRICKS P.A.J., VAN DER TOL M.E. & VERHOEF J. Aggregation of human polymorphonuclear leucocytes during phagocytosis of bacteria, 671
HOLBOROW E.J. *see* MORTAZAVI-MILANI S.M.
HONDA M. *see* MIURA K.
HONDA M. *see* YOSHIMURA T.
HORGAN C. & TAYLOR R.P. Quantitative analyses of complement fixation in three immune complex systems, 753
HSI B.-L., YEH C.-J.G. & FAULK W.P. Class I antigens of the major histocompatibility complex on cytotrophoblast of human chorion laeve, 621
HUGHES M. *see* TAYLOR G.
HUGHES-JONES N.C. *see* GORDON J.
HUNNEYBALL I.M. *see* EALES L-J.
HUSBAND A.J. *see* SCICCHITANO R.
HUSSEINI R.H., SWEET C., OVERTON H. & SMITH H. Role of maternal immunity in the protection of newborn ferrets against infection with a virulent influenza virus, 389
HUTTON C. *see* FAWCETT J.

IDO M., UNO K., INABA K., AOTSUKA Y. & MURAMATSU S. Ontogeny of 'macrophage' function. IV. Newborn mouse macrophages strongly suppress tumour cell growth and readily acquire cytolytic activity in comparison with adult macrophages, 307
IMAMURA Y. *see* TATSUMI M.
INABA K. *see* IDO M.
INMAN J.K. *see* SNIPPE H.
IWAGUCHI T., SHIMIZU M., MORI T. & NAKAJIMA T. Analysis of electrophoretic mobility histogram of mouse thymocytes during tumour development, 359

JAMES B.M.B. *see* COLIZZI V.
JAMES H.S. *see* CLOTHIER R.H.
JEBBETT J. *see* TAYLOR G.
JEGGO M.H., WARDLEY R.C. & BROWNLIE J. A study of the role of cell-mediated immunity in bluetongue virus infection in sheep, using cellular adoptive transfer techniques, 403

KAI C. *see* OHTA H.
KATZ S.P. *see* LAMMIE P.J.
KENNEDY M. *see* GORCZYNSKI R.M.
KENWORTHY N. *see* DURRANT L.G.
KHAN M. *see* GRAY D.
KLAUS G.G.B. *see* ENRIQUEZ-RINCON F.
KLEIN B. *see* NOMA T.
KRIPKE M.L. *see* MORISON W.L.
KUMARARATNE D.S. *see* GRAY D.
KWA B.H. *see* SIM B.K.L.

LAMMIE P.J. & KATZ S.P. Immunoregulation in experimental filariasis. III. Demonstration and characterization of antigen-specific suppressor cells in the spleen of *Brugia pahangi*-infected jirds, 211
LAMMIE P.J. & KATZ S.P. Immunoregulation in experimental filariasis. IV. Induction of non-specific suppression following *in vitro* exposure of spleen cells from infected jirds to *Brugia pahangi* antigen, 221
LAMONTAGNE L.R., GAULDIE J., BEFUS A.D., MCADAM K.P.W.J., BALTZ M.L. & PEPYS M.B. The acute phase response in parasite infection. *Nippostrongylus brasiliensis* in the mouse, 733
LEONI J. *see* RONCO J.R.
LEW A.M. & STEWARD M.W. Glomerulophrenitis: the use of grafted hybridomas to investigate the role of epitope density, antibody affinity and antibody isotype in active serum sickness, 367
LEY S.C. *see* GORDON J.
LIU F.-T. *see* RAZIN E.
LIZZIO E.F. *see* SNIPPE H.
LORTAN J. *see* GRAY D.
LUZIO J.P. *see* MORGAN B.P.

MCADAM K.P.W.J. *see* LAMONTAGNE L.R.
MACDONALD T.T. *see* DILLON S.B.
MCLACHLAN S.M. *see* FAWCETT J.
MACLENNAN I.C.M. *see* GRAY D.
MCMICHAEL A.J. *see* REDMAN C.W.G.
MACRAE S. *see* GORCZYNSKI R.M.
MAGNUSON J.A. *see* NAMEN A.E.
MAK J.W. *see* SIM B.K.L.
MALKOVSKY M. *see* COLIZZI V.
MARGNI R.A. *see* RONCO J.R.
MARTIN A., CHEVRINAIS A.-M., BOUREL D., FAUCHET R., GENETET B. & TOUJAS L. An anti-mouse macrophage monoclonal antibody reacting with T-derived leukaemic cells, 539
MATHUR A., RAWAT S. & CHATURVEDI U.C. Suppressor T cells for delayed-type hypersensitivity to Japanese encephalitis virus, 395
MAUCH H. *see* DAUS H.
MELAMED M.D. *see* GORDON J.
MERCHANT B. *see* SNIPPE H.
MITCHELL W.S., NAAMA J.K., VEITCH J. & WHALEY K. IgM-RF prevents complement-mediated inhibition of immune precipitation, 445
MIURA K., HONDA M., YOSHIMURA T. & HAYASHI H. Selective chemotaxis of Ia antigen-positive macrophages by macrophage chemotactic lymphokine produced by concanavalin A stimulation, 641
MOORE T.C. Modification of lymphocyte traffic by vasoactive neurotransmitter substances, 511
MORGAN B.P., SEWRY C.A., SIDDLE K., LUZIO J.P. & CAMPBELL A.K. Immunolocalization of complement component C9 on necrotic and non-necrotic muscle fibres in myositis using monoclonal antibodies: a primary role of complement in autoimmune cell damage, 181
MORI T. *see* IWAGUCHI T.
MORISON W.L., BUCANA C. & KRIPKE M.L. Systemic suppression of contact hypersensitivity by UVB radiation is unrelated to the UVB-induced alterations in the morphology and number of Langerhans cells, 299
MORRIS A.G. *see* WILKINSON M.F.
MORTAZAVI-MILANI S.M., FACER C.A. & HOLBOROW E.J. Induction of anti-intermediate filament antibody in rabbits experimentally infected with *Trypanosoma brucei brucei*, 423
MUNRO A.J. *see* COHEN M.G.
MURAMATSU S. *see* IDO M.
MUSOKE A.J., NANTULYA V.M., RURANGIRWA F.R. & BUSCHER G. Evidence for a common protective antigenic determinant on sporozoites of several *Theileria parva* strains, 231

NAAMA J.K. *see* MITCHELL W.S.
NABEL G. *see* RAZIN E.
NAKAJIMA T. *see* IWAGUCHI T.
NAMEN A.E. & MAGNUSON J.A. Production and characterization of bovine interleukin-2,
NANTULYA V.M. *see* MUSOKE A.J.
NOMA T., KLEIN B., YATA J. & SERROU B. Low dose of deoxyguanosine increases IL-2 receptors of IL-2-dependent cultured T cells, 247
NORDIN A.A. *see* CURTIS J.L.

OHTA H., YOSHIKAWA Y., KAI C., YAMANOUCHI K. & OKADA H. Lysis of horse red blood cells mediated by antibody-dependent activation of the alternative pathway of chicken complement, 437
OITE T. *see* SHIMIZU F.
OKADA H. *see* OHTA H.
ORIKASA M. *see* SHIMIZU F.
OTTESKOG P. *see* WANGER L.
OVERTON H. *see* HUSSEINI R.H.

OWENS T. *see* CRISPE I.N.
OXFORD J. *see* ALI S.A.

PARKAR M. *see* DURRANT L.G.
PARSONS S.C.V. *see* ROLLINS-SMITH L.A.
PAYAN D.G. *see* DOHLMAN J.G.
PEPYS M.B. *see* LAMONTAGNE L.R.
PLAYFAIR J.H.L. *see* BRITTLE M.P.
PRESL J. *see* BUKOVSKÝ A.
PUSKÁS É., UHER F., GERGELY J. & BAZIN H. An experimental immunocytoma model in /LOU/M/Ws1 × CFY/F1 rats: neoplastic cells as targets of the host's immune apparatus, 547

QUASH G.A. *see* DUC DODON M.

RAJKI K. *see* DAUS H.
RAWAT S. *see* MATHUR A.
RAYMENT C., GECZY A.E., BASHIR H.V. & EDMONDS J.P. A factor in the culture filtrate of some *Klebsiella* isolates specifically modifies the fibroblasts of HLA-B27-positive normal individuals, 385
RAZIN E., STEVENS R.L., AUSTEN K.F., CAULFIELD J.P., HEIN A., LIU F.-T., CLABBY M., NABEL G., CANTOR H. & FRIEDMAN S. Cloned mouse mast cells derived from immunized lymph node cells and from foetal liver cells exhibit characteristics of bone marrow-derived mast cells containing chondroitin sulphate E proteoglycan, 563
REDMAN C.W.G., MCMICHAEL A.J., STIRRAT G.M., SUNDERLAND C.A. & TING A. Class 1 major histocompatibility complex antigens on human extra-villous trophoblast, 457
REES A.S. *see* CHALLACOMBE S.J.
REES R.C. *see* ALI S.A.
REES SMITH B. *see* FAWCETT J.
RINGEL E.W., SOTER N.A. & AUSTEN K.F. Localization of histaminase to the specific granule of the human neutrophil, 649
RIVERA F. *see* SANCHO J.
ROBINS R.A. *see* BRITTEN V.
RODRIGUEZ-LOPEZ M.H., CROCKER P.R., HARRISON T.J., TARGETT G.A.T. & BRADLEY D.J. Production of hybrids of mouse myeloma cells and protozoa which express parasite antigens, 727
ROLLINS-SMITH L.A., PARSONS S.C.V. & COHEN N. During frog ontogeny, PHA and Con A responsiveness of splenocytes precedes that of thymocytes, 491
RONCO J.R., SCIUTTO E., LEONI J., MARGNI R.A. & BINAGHI R.A. Interaction of purified precipitating and non-precipitating (coprecipitating) antibodies with hapten and with haptenated protein. Evidence of an asymmetric antibody molecule, 449
RUBEN L.N. *see* CLOTHIER R.H.
RURANGIRWA F.R. *see* MUSOKE A.J.

SAGER S., VIRELLA G., CHEN W.Y. & FUDENBERG H.H. Isolation and characterization of an outer membrane protein of *Salmonella paratyphi* B: a mitogen and polyclonal activator of human B lymphocytes, 67
SANCHO J., GONZALEZ E., RIVERA F., ESCANERO J.F. & EGIDO J. Hepatic and kidney uptake of soluble monomeric and polymeric IgA aggregates, 161
SATO K. *see* SHIMIZU F.
SAXENA Q.B., SAXENA R.K. & ADLER W.H. Effect of feeding a diet with half of the recommended levels of all vitamins on the natural and inducible levels of cytotoxic activity in mouse spleen cells, 41
SAXENA R.K. *see* SAXENA Q.B.
SCHNEIDER C.H. *see* GUENIN R.
SCICCHITANO R., HUSBAND A.J. & CRIPPS A.W. Immunoglobulin-containing cells and the origin of immunoglobulins in the respiratory tract of sheep, 529
SCIUTTO E. *see* RONCO J.R.
SERROU B. *see* NOMA T.
SEWRY C.A. *see* MORGAN B.P.
SHARON N. *see* GALLILY R.
SHIMIZU F., ORIKASA M., SATO K. & OITE T. Monoclonal antibodies to rat renal antigens, 319
SHIMIZU M. *see* IWAGUCHI T.
SIDDLE K. *see* MORGAN B.P.
SIM B.K.L., KWA B.H. & MAK J.W. The presence of blocking factors in *Brugia malayi* microfilaraemic patients, 411
SLOMSKI R., WANG D.R. & COHEN E.P. Surface antigens of immunoprotective leukaemia × fibroblast hybrid cells which have lost malignant properties in histocompatible mice differ from the malignant parental cells, 281
SMITH G. & CHAPPELL F. Cytotoxic cell populations in normal and alloimmunized pregnant mice, 49
SMITH H. *see* HUSSEINI R.H.
SNIPPE H., VAN HOUTE A.J., INMAN J.K., LIZZIO E.F. & MERCHANT B. Hapten-specific B cell blockade of the immune response to a thymus-independent-1 antigen produced by concomitant administration of a thymus-independent-2 antigen, 87
SOTER N.A. *see* RINGEL E.W.
SPENCER J. & HALL J.G. Studies on the lymphocytes of sheep. IV. Migration patterns of lung-associated lymphocytes efferent from the caudal mediastinal lymph node, 1
SPENCER J. & HALL J.G. The flow and composition of lymph from the caudal mediastinal lymph node of sheep, 7
STAIN I. *see* GALLILY R.
STANLEY C. *see* DEVEY M.E.
STEVENS R.L. *see* RAZIN E.
STEWARD M.W. *see* DEVEY M.E.
STEWARD M.W. *see* LEW A.M.
STIRRAT G.M. *see* REDMAN C.W.G.
STITZ L. & ZINKERNAGEL R.M. Immunological tolerance to a non-cytopathic virus is not inheritable in mice, 205
STOTT E.J. *see* TAYLOR G.
SULLIVAN D.A., BLOCH K.J. & ALLANSMITH M.R. Hormonal influence on the secretory immune system of the eye: androgen control of secretory component production by the rat exorbital gland, 239
SUNDERLAND C.A. *see* BULMER J.N.
SUNDERLAND C.A. *see* REDMAN C.W.G.
SUNDQVIST K.-G. *see* WANGER L.
SWEET C. *see* HUSSEINI R.H.

TARGETT G.A.T. *see* RODRIGUEZ-LOPEZ M.H.
TATSUMI M. & IMAMURA Y. Accessory cells distinct from macrophages in lymphocyte proliferation of cynomolgus monkeys, 25
TAYLOR G., STOTT E.J., BEW M., FERNIE B.F., COTE P.J., COLLINS A.P., HUGHES M. & JEBBETT J. Monoclonal antibodies protect against respiratory syncytial virus infection in mice, 137

TAYLOR G.M. *see* DURRANT L.G.
TAYLOR R.P. see HORGAN C.
THIJSSEN H.M.W.M. *see* VANDENBROUCKE-GRAULS C.M.J.E.
THOMAS I.K. & ERICKSON K.L. Seminal plasma inhibits lymphocyte response to T-dependent and -independent antigens *in vitro*, 721
TING A. *see* REDMAN C.W.G.
TOUJAS L. *see* MARTIN A.

UHER F. *see* PUSKÁS É.
UNO K. *see* IDO M.

VALONE F.H. Isolation of a platelet membrane protein which binds the platelet-activating factor 1-O-hexadecyl-2-acetyl-SN-glycero-3-phosphorylcholine, 169
VAN BOHEMEN CH.G., GRUMET F.C. & ZANEN H.C. Identification of HLA-B27M1 and -M2 cross-reactive antigens in *Klebsiella*, *Shigella* and *Yersinia*, 607
VAN DER TOL M.E. *see* HENRICKS P.A.J.
VAN ES L.A. *see* DE HEER E.
VAN HOUTE A.J. *see* SNIPPE H.
VANDENBROUCKE-GRAULS C.M.J.E., THIJSSEN H.M.W.M. & VERHOEF J. Interaction between human polymorphonuclear leucocytes and *Staphylococcus aureus* in the presence and absence of opsonins, 427
VEITCH J. *see* MITCHELL W.S.
VERHOEF J. *see* HENRICKS P.A.J.
VERHOEF J. *see* VANDENBROUCKE-GRAULS C.M.J.E.
VIRELLA G. *see* SAGER S.
VRAY B. *see* GALLILIY R.

WANG D.R. *see* SLOMSKI R.
WANGER L., OTTESKOG P. & SUNDQVIST K.-G. Anchorage and lymphocyte function. Antibodies as adhesion and spreading factors for human T lymphocytes, 519
WARDLEY R.C. *see* JEGGO M.H.
WATKINS M.C. *see* ZEMBALA M.A.
WHALEY K. *see* MITCHELL W.S.
WILKINSON M.F. & MORRIS A.G. Gamma-interferon induction in human lymphoblasts compared with fresh mononuclear leucocytes: earlier synthesis, rapid shut-off and enhancement of yields by metabolic inhibitors, 175

YAMANOUCHI K. *see* OHTA H.
YATA J. *see* NOMA T.
YEH C.-J.G. *see* HSI B.-L.
YOSHIKAWA Y. *see* OHTA H.
YOSHIMURA T., HONDA M. & HAYASHI H. Selective chemotaxis of Ia antigen-positive blood monocytes in response to a macrophage chemotactic lymphokine extractable from PPD-induced delayed hypersensitivity reaction site in guinea-pigs, 269
YOSHIMURA T. *see* MIURA K.

ZANEN H.C. *see* VAN BOHEMEN CH.G.
ZEMBALA M.A., COLIZZI V., ASHERSON G.L. & WATKINS M.C. Non-specific inhibitor made by T acceptor cells inhibits both the afferent and efferent stage of the contact sensitivity reaction, 599
ŽIDOVSKÝ J. *see* BUKOVSKÝ A.
ZINKERNAGEL R.M. *see* STITZ L.

Subject Index

Accessory cells:
  in lymphocyte proliferation, 25
Active serum sickness:
  with grafted hybridomas, 367
Adhesion and spreading factors for human T cells, 519
Affinity maturation:
  failure leads to immune complex glomerulonephritis, 377
Aging:
  decline in alloreceptor repertoire, 611
Alternative complement pathway of chickens, 437
Anchorage and lymphocyte function, 519
Antibody diversity:
  control, 97
Antigen localization, 659
Antigen-specific IA$^+$ T helper factor in contact sensitivity, 261
Anti-hapten responses in *Xenopus laevis*, 703
Anti-idiotypic antibodies:
  effect on kinetics of response to BCG, 697
Anti-intermediate filament antibody induced by *T. brucei* infection, 423
Asymmetrical antibody molecules, 449
Autoantibodies to renal tubular antigen:
  in vitro production by lymph node cells from rats with Heymann's nephritis, 743

Blocking factors:
  in *B. malayi* microfilaraemia, 411
Bluetongue virus infection in sheep:
  role of cell-mediated immunity, 403
Bovine interleukin-2:
  production and characterization, 469
Brugia malayi microfilaraemia:
  presence of blocking factors, 411
Brugia pahangi:
  infection of jirds, 211

Cell surface antigens and cell surface differentiation antigens in pregnancy, 631
Chemiluminescence in PMN, 151
Chemotaxis of Ia-positive macrophages, 641
Class 1 MHC antigens on extra-villous trophoblast, 457
Cloned mouse mast cells:
  containing chondroitin sulphate, 563
Complement:
  complement-mediated inhibition of immune precipitation by IgM-RF, 445
  fixation: quantitative analyses in three immune complex systems, 753
  immunolocalization on necrotic/non-necrotic muscle fibres, 181
  in autoimmune cell damage, 181
Contact sensitivity:
  antigen-specific IA$^+$ T helper factor, 261
  inhibition by factor(s) from T acceptor cells, 599
Cytotoxic activity of spleen cells:
  effect of vitamin deficiency on, 41
Cytotoxic cells:
  in pregnant mice, 49
Cytotoxic T cells:
  generation blocked by monoclonal antibody, 253
  in rat MLR, 253
Cytotrophoblast:
  MHC class I antigens, 621

Deoxyguanosine:
  effect on IL-2 receptors, 247
DNA synthesis by anti-immunoglobulin, 79

EBV-transformed lymphoblastoid cell lines:
  inhibition of, 79
Electrophoretic mobility of mouse thymocytes during tumour development, 359
Extra-villous trophoblast:
  MHC antigens, 457

Facb rosette-forming cells:
  functional significance, 17
Fibroblast-activating factor:
  generation by human monocytes, 577
Filariasis:
  antigen-specific suppressor cells, 211, 221
  immunoregulation, 211, 221
  non-specific suppression *in vitro*, 221
Fluorescein-labelled lymphocytes:
  in vivo and *in vitro* labelling, 341
  recirculation, 341
Follicular dendritic cells:
  relation of intrasplenic migration of B cells to antigen localization, 659
Frog ontogeny:
  splenocyte and thymocyte proliferation, 491

Gamma-interferon induction in human lymphoblasts and mononuclear leucocytes
  effect of metabolic inhibitors, 175
Glomerular disease:
  in vitro model of, 151
Glomerulonephritis:
  role of antigen epitope density, antibody affinity and isotype, 367
Grafted hybridomas:
  and active serum sickness, 367
Growth factors of cyprinid fish, 477

Hapten-specific B cell blockade:
  by a T12 antigen, 87

Hashimoto's disease:
defective regulation of immune response to tetanus toxoid, 525
Heymann's nephritis:
lymph node cells produce autoantibodies to renal tubular antigen *in vitro*, 743
HLA-B27$^+$ fibroblasts:
modification by *Klebsiella* factor, 385
HLA-B27M1 and -M2 cross-reactive antigens in *Klebsiella*, *Shigella* and *Yersinia*, 607
Hormonal influence on secretory immune system, 239
Human monocytes:
fibroblasts-activating factor, 577
myeloperoxidase activity, 291
Human–mouse T cell hybridoma:
binding IL-2, 117
Human neutrophil histaminase:
localization to the specific granule, 649
Human NK cytotoxicity:
modulation by influenza virus, 687
Human placental bed:
immunohistology of lymphoid cell populations, 349
Hybrids of mouse myeloma cells and protozoa expressing parasite antigens, 727

IgA aggregates:
hepatic and kidney uptake, 161
IgM rheumatoid factor:
prevents complement-mediated inhibition of precipitation, 445
Immune complexes:
immune complex glomerulonephritis and failure of affinity maturation, 377
quantitative analysis of complement fixation, 753
Immunocytoma in rats, 547
Immunoglobulins in respiratory tract of sheep, 529
Immunological tolerance:
not inheritable, 205
to non-cytopathic virus, 205
Influenza infection of newborn ferrets:
protection by maternal immunity, 389
Influenza virus:
modulation of human NK cytotoxicity, 687
Innate resistance and susceptibility to *Leishmania donovani*:
transfer in mouse bone marrow chimaeras, 417
Interleukin-1 mediation of LPS-induced enhancement of response to DAGG-Ficoll, 711
Interleukin-2 receptors:
effect of deoxyguanosine, 247
Intraepithelial lymphocytes:
from murine intestine functional properties, 501
Intra-splenic migration of B cells, 659

Japanese encephalitis virus:
suppressor T cells for DTH, 395

Klebsiella isolates:
factor modifying HLA-B27$^+$ fibroblasts, 385

Langerhans cells:
in systemic suppression of contact hypersensitivity, 299
number and morphology, 299
UVB-induced alterations, 299
Leukaemia × fibroblast hybrids:
surface antigens, 281
Lung-associated lymphocytes:
migration patterns, 1
Lymph node:
caudal mediastinal, 7
Lymphocyte distribution:
effect of monoclonal anti-Lyt-1 antibodies, 325
Lymphocyte migration of mouse T cell sets, 331
Lymphocyte recirculation:
through mesenteric lymph nodes, 341
Lymphocyte traffic:
modification by vasoactive neurotransmitters, 511
Lymphocytes of sheep, 1
Lysis of red cells by antibody-independent alternative pathway activation, 437
Lysosomal enzyme release in PMN, 151

Macrophage chemotactic lymphokine, 269, 641
Maternal immunity:
protection of newborn against influenza, 389
MHC class I antigens on human cytotrophoblast, 621
MHC restriction:
changes with age, 611
Monoclonal anti-hapten antibodies:
effect on humoral responses, 129
Monoclonal anti-Lyt-1 antibodies:
effect on lymphocyte distribution, 325
Monoclonal anti-mouse macrophage antibody:
reaction with T leukaemic cells, 539
Monoclonal antibodies:
to rat renal antigens, 319
to RSV, 137
Mononuclear phagocyte function:
clearance of particles and soluble complexes, 761
in mice with circulating complexes, 761
Mouse macrophages:
ontogeny of anti-tumour-activity, 307
Mouse T cell sets:
Lyt phenotype, 331
migration, 331
selective tissue positioning, 331
Mouse thymocytes:
electrophoretic mobility during tumour development, 359
Myeloma–protozoa hybrids expressing parasite antigens, 727
Myeloperoxidase: activity in monocytes:
stimulation by modified Ig and rheumatoid factors, 291
Myositis:
localization of complement on muscle fibres, 181

Natural antibodies in man:
to *Streptococcus mutans*, 143
Natural killer cell activity:
regulation by subsets of mononuclear cells, 555
Natural killer-like cytotoxicity:
activation by primed T-helper lymphocytes, 31
Non-specific inhibitor from T acceptor cells:
effect on contact sensitivity reaction, 599

OKT8$^+$ cells:
non-specific suppression mediated by, 589
Ontogeny of mouse macrophages, 307
Opsonins and the phagocytosis of *S. aureus*, 427

Penicillin derivatives:
anaphylactic reactions to, 189
Peritoneal macrophages:
uptake of bacteria potentiated by wheat germ agglutinin, 679
PFC to DAGG-Ficoll:
LPS-induced enhancement mediated by IL-1, 711
Phagocytosis of *S. aureus* by human PMN, 427
Phylogeny of interleukins, 477
Platelet-activating factor, 169
Platelet membrane protein, 169
Precipitating and non-precipitating antibodies, 449

Red cell complexes:
follicular trapping, 107
Respiratory syncytial virus infection:
protection by monoclonal antibodies, 137

Salmonella paratyphi B:
outer membrane protein, 67
activation of human B cells, 67
Secretory component:
androgen control of production, 239
Selective chemotaxis of Ia$^+$ monocytes, 269
Seminal plasma:
inhibition of *in vitro* lymphocyte responses, 721
Splenocyte and thymocyte proliferation:
in frog ontogeny, 491
Suppression in man, 589
Suppressor cells:
in experimental filariasis, 211
Suppressor T cells for DTH to Japanese encephalitis virus, 395
Surface antigens:
of leukaemia × fibroblast hybrids, 281
Systemic suppression of contact hypersensitivity by UVB radiation, 299

T helper clone, 55
T helper factor:
in contact sensitivity, 261
T suppressor function:
decline with age, 611
Theileria parva sporozoites:
common protective antigenic determinant, 231
TNP-Ficoll response in Xenopus laevis, 483
Trypanosoma brucei infection:
induction of anti-intermediate filament antibody, 423
Tumour development:
electrophoretic mobility of thymocytes, 359

Vasoactive neurotransmitters:
effect on lymphocytes traffic, 511

Wheat germ agglutinin:
potentiation of bacterial uptake by macrophages, 679

Xenopus laevis:
anti-hapten responses, 703